

LINE OF (E) 2x4
EXTR WALL REMOVE
AS REQ'D

(E) 2x6 F.J. @
16" oc TYP.

(E) SUBFLR

(E) 4x6
GIRDER

(E) FTG

(N) 2x BLK'G
VENTING PER
UBC.

(N) MARKCO
FIREPLACE

(N) 2x4 STUDS @
16" oc TYP.

(N) 1/2" STRUCT I
INTR/EXT PLYWD. W/8d
HOT DIPPED GALVANIZED
COMMON NAILS W/6"
CENTERS ON ALL EDGES
& IN FIELD

(N) BRICK VENEER
USE "U.S. BRICK
SYSTEM OR EQUAL
USE ST. JOSEPH'S
COLOR, OR (N) STUCCO
TO MATCH (E)

(N) 1/2" STRUCT I
PRESSURE TREATED
PLYWOOD

18" NTS

FRAMING DETAIL

SCALE: 1"=1'-0"

199510.212341 NAJF2

DATE: 10/23/95	FRAMING DETAIL FOR NEW FIREPLACE INSERT	W. CHARLES PERRY & ASSOC. 1730 AMPHELETT BLVD. SUITE 100 SAN MATEO, CA 94402-2709 (415) 570-5158	JOB: 9510
DESIGN: R.V.	NAKAJI RESIDENCE 4387 FALLBROOK RD. CONCORD, CA		PAGE: 2
APPROVED BY: W.C.P.			of 3